

Short Report

To Brake or Accelerate When the Light Turns Yellow?

Stress Reduces Older Adults' Risk Taking in a Driving Game

Mara Mather, Marissa A. Gorlick, and Nichole R. Lighthall

University of Southern California

Many rewards in life require taking risks, and the decision to take such risks often must be made under stressful circumstances—whether one is a stockbroker, a surgeon, or just a commuter in rush-hour traffic. Stress hormones affect prefrontal brain regions and dopaminergic pathways involved in decision making (Moghaddam & Jackson, 2004; Wang et al., 2005). As people age, prefrontal brain regions decline in volume and in dopamine transmission effectiveness (Raz, 2004; Volkow et al., 2000), potentially altering the impact of stress on decision making.

To examine age differences in the effects of stress on risky decisions, we asked younger and older participants to play a computer-based driving game either after a stress challenge or in a control condition.

METHOD

Younger adults (age range = 18–33 years; $n = 45$; 22 males, 23 females) and older adults (aged 65–89 years; $n = 40$; 21 males, 19 females) played 15 driving-game trials. Participants randomly assigned to the stress condition submerged their nondominant hands in ice water (2.0–4.2 °C) for 3 min. In the control condition, participants held their hands in warm water (37.3–38.8 °C) for 3 min. They started the driving game 18 min after the stress challenge, during the period of peak cortisol response to acute stress (Dickerson & Kemeny, 2004). Salivary cortisol was measured using an enzyme immunoassay kit (Salimetrics, State College, PA) from saliva samples at three time points.

Each game trial started with a green light that changed to yellow with the first press of the accelerator key. The yellow light lasted for a randomly determined time (2–7 s) before turning red. While participants pressed the accelerator key, the car moved at a constant speed across the screen and the participant's score

increased. Whenever they released the key, the car and the score counter stopped. Participants could start and stop the car as often as they liked until the red light appeared; their behavior did not influence the length of the yellow light. If the car was stopped when the red light appeared, the points from that trial were added to their cumulative total and they heard, "Yippie!" However, if the light turned red while they were driving, they lost all their points from that trial and heard a police siren. Time spent driving during yellow lights was our measure of risk taking.

RESULTS

Unlike salivary cortisol levels in the control group, cortisol levels in the stress group increased by the time of the game (Fig. 1a), for both younger adults, $F(1, 43) = 10.64, p < .01$, and older adults, $F(1, 38) = 8.10, p < .01$; there was no significant age difference in the increase. The stress condition also resulted in higher postexperiment self-ratings of stress during the water task for both younger adults, $t(43) = 8.11, p < .001$, and older adults, $t(37) = 7.24, p < .001$, with no significant age difference in the effect of the water task.

Being stressed reduced older adults' final scores by nearly half, $t(38) = -3.50, p < .01$, but did not significantly affect younger adults' scores, $t(43) = 1.03, p = .31$ (Fig. 1b), leading to a significant interaction of age group and stress condition, $F(1, 81) = 12.10, p < .001$. Stressed older adults risked driving for a smaller proportion of the yellow-light intervals than did control older adults, $t(38) = -3.64, p < .01$, whereas younger adults showed little effect of stress on risk taking, $t(43) = -0.38, p = .71$ (Fig. 1c), $F(1, 81) = 9.09, p < .01$. In general, stopping and restarting more often was negatively correlated with points scored ($r = -.61, p < .001$). Stress increased older adults' stopping rate, $t(38) = 3.21, p < .01$, but did not significantly affect younger adults' stopping rate, $t(43) = 1.41, p = .17$, leading to a significant interaction, $F(1, 81) = 11.12, p < .01$

Address correspondence to Mara Mather, University of Southern California, 3715 McClintock Ave., Los Angeles, CA 90089, e-mail: mara.mather@usc.edu.




Fig. 1. Experimental results: (a) mean cortisol level 9 min before and 6 and 16 min after immersing a hand in water, by age group (older and younger) and condition (cold water in the stress condition and warm water in the control condition); (b) mean points earned by older and younger participants in the stress and control conditions; (c) mean proportion of the trial spent driving during yellow lights by age group and condition; and (d) median number of stops per second spent driving by age group and condition. Medians, rather than means, are shown in (d) because the data were skewed. Error bars represent 1 *SEM*.

(Fig. 1d; stops per second driven yielded a skewed distribution, so we analyzed rank-transformed data). Overall, older adults had fewer losing trials ($M = 27\%$) than younger adults ($M = 41\%$), $F(1, 81) = 17.74, p < .001$, but there were no effects of stress on losing rates.

Partitioning results into three phases of five trials each and including phase as a factor revealed consistent effects of stress on driving time, stopping rate, and points throughout the game (all $ps > .3$ for the stress-condition-by-phase and stress-condition-by-age-by-phase interactions). Furthermore, the age-by-stress-condition interactions were significant for each phase analyzed separately (all nine $ps < .05$).

All the age-by-stress-condition interactions remained significant ($ps \leq .01$) when years of education, intelligence (as assessed by the Wechsler Test of Adult Reading; Wechsler, 2001), mood (assessed by the Positive and Negative Affect Schedule; Watson, Clark, & Tellegen, 1988), depression (assessed by the Geriatric Depression Scale; Yesavage, 1988), or

health self-ratings were entered separately as covariates into the analyses of variance examining each driving-game dependent measure. In addition, all the age-by-stress-condition interactions remained significant ($ps < .05$) when male and female data were analyzed separately.

DISCUSSION

This study reveals that stress can change older adults' decision strategies. In the control condition, older adults risked driving during yellow lights for only a little less time than younger adults and performed better than younger adults in terms of final scores. This result is consistent with previous lab studies showing little or no decline in decision-making abilities with age (for a review, see Mather, 2006). In contrast, older adults in the stress condition not only risked significantly less driving time, but also stopped and restarted more frequently than those in the control condition. The age differences in the effects of stress

were robust, occurring even when each subphase of the game was analyzed separately and when male and female data were analyzed separately. These findings highlight the need for more research on age differences in the impact of stress. In particular, further research is needed using different measures of risky decision making to see whether these age differences are specific to risky decisions made under time pressure (as in the current task) or also extend to other decision tasks.

Acknowledgments—We thank Corey Wasson for assistance in data collection. This work was supported by National Institute on Aging Grant R21AG030758.

REFERENCES

- Dickerson, S.S., & Kemeny, M.E. (2004). Acute stressors and cortisol responses: A theoretical integration and synthesis of laboratory research. *Psychological Bulletin*, *130*, 355–391.
- Mather, M. (2006). A review of decision-making processes: Weighing the risks and benefits of aging. In L.L. Carstensen & C.R. Hartel (Eds.), *When I'm 64* (pp. 145–173). Washington, DC: National Academies Press.
- Moghaddam, B., & Jackson, M. (2004). Effect of stress on prefrontal cortex function. *Neurotoxicity Research*, *6*, 73–78.
- Raz, N. (2004). The aging brain: Structural changes and their implications for cognitive aging. In R.A. Dixon, L. Backman, & L.-G. Nilsson (Eds.), *New frontiers in cognitive aging* (pp. 115–133). New York: Oxford University Press.
- Volkow, N.D., Logan, J., Fowler, J.S., Wang, G.-J., Gur, R.C., Wong, C., et al. (2000). Association between age-related decline in brain dopamine activity and impairment in frontal and cingulate metabolism. *American Journal of Psychiatry*, *157*, 75–80.
- Wang, J., Rao, H., Wetmore, G.S., Furlan, P.M., Korczykowski, M., Dinges, D.F., & Detre, J.A. (2005). Perfusion functional MRI reveals cerebral blood flow pattern under psychological stress. *Proceedings of the National Academy of Sciences, USA*, *102*, 17804–17809.
- Watson, D., Clark, L.A., & Tellegen, A. (1988). Development and validation of brief measures of positive and negative affect: The PANAS scales. *Journal of Personality and Social Psychology*, *54*, 1063–1070.
- Wechsler, D. (2001). *Wechsler Test of Adult Reading*. San Antonio, TX: Psychological Corp.
- Yesavage, J.A. (1988). Geriatric Depression Scale. *Psychopharmacology Bulletin*, *24*, 709–711.

(RECEIVED 4/2/08; REVISION ACCEPTED 9/12/08)